

EASYGRIP

ANTI-SLIP

PORCELAIN TILES, CERAMIC TILES, GRANITE



INDOOR
USE



OUTDOOR
USE



- **Invisible safety:** reduces the risk of slipping without altering the appearance
- **Does not bleach dark materials**
- **Permanent and stable over time**
- **Water-based**
- **Ideal for indoors and outdoors**
- **Specially designed for DIY**
- **Does not form surface film**
- **Surface ready to use immediately after treatment**

WHAT IT'S FOR

- Increases the grip on porcelain, ceramic and granite floors.
- Creates surface micro-abrasion to increase slip resistance on wet surfaces.
- Reduces the risk of slipping on small surfaces such as shower trays, doorways, entrances.
- Ideal for areas where people walk barefoot or where water or condensation tend to collect.

HOW TO USE IT

No dilution required: ready to use.

Application: Test the product on a small, inconspicuous area before application. Protect adjacent areas. Wash the surface thoroughly with a suitable detergent. Apply a generous coat of **EASYGRIP** with a brush, covering the entire area to be treated. Leave to react for 10 minutes, adding more product if necessary to prevent the surface from drying out. Remove any residue and rinse thoroughly. Repeat if necessary. After treatment, we recommend a neutralising wash using a FILA neutral detergent.

PACKAGING

500 ml bottles in boxes of 6.

COVERAGE (500 ML):

3 m²

Coverage rates are indicative.

WARNINGS

- Keep out of reach of children.
- Do not disperse into the environment after use.

TEMPERATURES

Storage temperature: Between 5°C and 30°C.

This product must be applied to surfaces with temperature between 10°C and 30°C.

Caution:

The treatment is irreversible: a preliminary test is strongly recommended. The treatment may alter the glossiness of the surface. If used incorrectly, the product can lead to a loss of colour. The product is corrosive on glass. Use the product at surface temperatures between 10° and 30°C. Do not treat surfaces when they are exposed to direct sunlight. The anti-slip treatment may be ineffective and uneven on porcelain with a polished or lappato finish.